Most Frequently Occurring Classifications of Patents Returned From A Search of 10/600,799 on November 05, 2004

Combined Classifications

9 2	257/713
9	257/E23.087
8	257/E23.09
7	257/704
7	361/719
6	257/706
6	257/722
6	257/E21.511
6	257/E23.125
6	257/E23.189
6	257/E25.012
6	361/705
5	29/832
	165/185
	165/80.2
5	174/16.3
5	257/697
5	257/778
5	257/E23.102
	257/E23.104
5	257/E23.181
	_29/840
4	165/80.3
4	257/707

4 257/720 4 257/738 4 361/704 4 361/715 3 257/690 3 257/712 3 257/714 3 257/718 3 257/723 3 257/737 3 257/E21.503 3 257/E23.067 3 257/E23.092 3 257/E23.119 3 361/717 3 361/718 3 361/783

3	438/106
3	
2	29/841
2	174/52.2
2	257/685
2	
2	
2	
-2	257/708
2	
2	
2	
2	
2	257/E23.069
2	257/E23.079
2	257/E23.084
2	257/E23.094
2	257/E23.098
2	257/E23.101
2	257/E23.105
2	
2	-257/E23-107
2	257/E23.126
2	257/E23.19
2	257/E23.193
2	257/E25.013
2	
2	
2	
2	
2	
2	
2	
2	438/126

9 257/713 (2 OR, 7 XR) Class 257: ACTIVE SOLID-STATE DEVICES 257/688 .With large area flexible electrodes in press contact with opposite sides of active semiconductor chip and surrounded by an insulating element, e.g., ring .With provision for cooling the housing or its 257/712 contents 257/713 .. For integrated circuit 9 257/E23.087 (0 OR, 9 XR) Class 257: ACTIVE SOLID-STATE DEVICES .. For integrated circuit devices, e.g., power 257/E23.079 bus, number of leads (EPO) 257/E23.08 .Arrangements for cooling, heating, ventilating or temperature compensation; temperature-sensing arrangements (EPO) .. Fillings or auxiliary members in containers 257/E23.087 or encapsulations selected or arranged to facilitate heating or cooling (EPO) 8 257/E23.09 (0 OR, 8 XR) Class 257: ACTIVE SOLID-STATE DEVICES .. For integrated circuit devices, e.g., power 257/E23.079 bus, number of leads (EPO) .Arrangements for cooling, heating, ventilating 257/E23.08 or temperature compensation; temperature-sensing arrangements (EPO) .. Fillings or auxiliary members in containers 257/E23.087 or encapsulations selected or arranged to facilitate heating or cooling (EPO) ... Auxiliary members in containers 257/E23.09 characterized by their shape, e.g., pistons (EPO) 7 257/704 (2 OR. 5 XR) Class 257: ACTIVE SOLID-STATE DEVICES .With large area flexible electrodes in press 257/688 contact with opposite sides of active semiconductor chip and surrounded by an insulating element, e.g., ring .Insulating material 257/701 257/704 .. Cap or lid 7 361/719 (1 OR, 6 XR) Class 361: ELECTRICITY: ELECTRICAL SYSTEMS AND DEVICES HOUSING OR MOUNTING ASSEMBLIES WITH DIVERSE 361/600 **ELECTRICAL COMPONENTS** 361/679 .For electronic systems and devices ..With cooling means 361/688 ...Thermal conduction 361/704For active solid state devices 361/717For integrated circuit 361/718Circuit board mounted 361/719 6 257/706 (1 OR, 5 XR) Class 257: ACTIVE SOLID-STATE DEVICES

.With large area flexible electrodes in press

257/688

```
contact with opposite sides of active semiconductor chip
                 and surrounded by an insulating element, e.g., ring
      257/701
                       .Insulating material
      257/706
                       ..With heat sink
 6 257/722
               (1 OR, 5 XR)
      Class 257: ACTIVE SOLID-STATE DEVICES
      257/688
                       .With large area flexible electrodes in press
                 contact with opposite sides of active semiconductor chip
                 and surrounded by an insulating element, e.g., ring
      257/712
                       .With provision for cooling the housing or its
                 contents
                       ..With gas coolant
      257/721
                      ...With fins
      257/722
 6 257/E21.511 (0 QR, 6 XR)
      Class 257: ACTIVE SOLID-STATE DEVICES
      257/E21.001
                       PROCESSES OR APPARATUS ADAPTED FOR MANUFACTURE
                   OR TREATMENT OF SEMICONDUCTOR OR SOLID-STATE DEVICES OR
OF
                   PARTS THEREOF (EPO)
      257/E21.002
                       .Manufacture or treatment of semiconductor
                   device (EPO)
      257/E21.04
                       .. Device having at least one potential-jump
                  barrier or surface barrier, e.g., PN junction, depletion
                  layer, carrier concentration layer (EPO)
      257/E21.499
                       ... Assembling semiconductor devices, e.g.,
                 packaging, including mounting, encapsulating, or treatment
                 of packaged semiconductor (EPO)
      257/E21.506
                       ....Attaching or detaching leads or other
                 conductive members, to be used for carrying current to or
                 from device in operation (EPO)
                       .....Involving soldering or alloying process,
      257/E21.509
                e.g., soldering wires (EPO)
                       .....Mounting on insulating member provided
      257/E21.511
                with metallic leads, e.g., flip-chip mounting, conductive
                die mounting (EPO)
 6 257/E23.125 (0 OR, 6 XR)
      Class 257: ACTIVE SOLID-STATE DEVICES
      257/E23.113
                       ....Ceramic materials or glass (EPO)
      257/E23.116
                       .Encapsulations, e.g., encapsulating layers,
                 coatings, e.g., for protection (EPO)
      257/E23.123
                       .. Characterized by arrangement or shape (EPO)
      257/E23.124
                       ...Device being completely enclosed (EPO)
      257/E23.125
                       ....Substrate forming part of encapsulation
                (EPO)
 6 257/E23.189 (0 OR, 6 XR)
      Class 257: ACTIVE SOLID-STATE DEVICES
                       ...For flat cards, e.g., credit cards (EPO)
      257/E23.176
      257/E23.18
                       .Containers; seals (EPO)
      257/E23.181
                       .. Characterized by shape of container or parts,
                 e.g., caps, walls (EPO)
```

...Container being hollow construction and

257/E23.188

having insulating or insulated base as mounting for semiconductor body (EPO) 257/E23.189Leads being parallel to base (EPO) 6 257/E25.012 (0 OR, 6 XR) Class 257: ACTIVE SOLID-STATE DEVICES 257/E25.001 ASSEMBLIES CONSISTING OF PLURALITY OF INDIVIDUAL SEMICONDUCTOR OR OTHER SOLID-STATE DEVICES (EPO) .All devices being of same type, e.g., 257/E25.002 assemblies of rectifier diodes (EPO) 257/E25.003 ..Devices not having separate containers (EPO) ... Device consisting of plurality of 257/E25.01 semiconductor or other solid state devices or components formed in or on common substrate, e.g., integrated circuit device (EPO)Devices being arranged next to each other 257/E25.012 (EPO) 6 361/705 (4 OR, 2 XR) Class 361: ELECTRICITY: ELECTRICAL SYSTEMS AND DEVICES HOUSING OR MOUNTING ASSEMBLIES WITH DIVERSE 361/600 **ELECTRICAL COMPONENTS** .For electronic systems and devices 361/679 361/688 ..With cooling means 361/704 ...Thermal conduction 361/705By specific coating 5 29/832 (0 OR. 5 XR) Class 029: METAL WORKING METHOD OF MECHANICAL MANUFACTURE 29/592 .Electrical device making 29/592.1 .. Conductor or circuit manufacturing 29/825 29/829 ...On flat or curved insulated base, e.g., printed circuit, etc. 29/832 Assembling to base an electrical component, e.g., capacitor, etc. 5 165/185 (0 OR, 5 XR) Class 165: HEAT EXCHANGE 165/185 **HEAT TRANSMITTER** (0 OR, 5 XR) 5 165/80.2 Class 165: HEAT EXCHANGE WITH RETAINER FOR REMOVABLE ARTICLE 165/80.1 165/80.2 .Electrical component (0 OR, 5 XR) 5 174/16.3 Class 174: ELECTRICITY: CONDUCTORS AND INSULATORS

WITH FLUIDS OR VACUUM

.. By ventilation or gas circulation

.With cooling or fluid feeding, circulating or .

174/8

174/15.1

174/16.1

distributing

174/16.3 ...With heat sink 5 257/697 (1 OR, 4 XR) Class 257: ACTIVE SOLID-STATE DEVICES 257/688 .With large area flexible electrodes in press contact with opposite sides of active semiconductor chip and surrounded by an insulating element, e.g., ring 257/690 .With contact or lead 257/692 ..With particular lead geometry 257/693 ... External connection to housing 257/697Pin grid type 5 257/778 (0 OR, 5 XR) Class 257: ACTIVE SOLID-STATE DEVICES 257/734 COMBINED WITH ELECTRICAL CONTACT OR LEAD 257/778 .Flip chip 5 257/E23.102 (0 OR, 5 XR) Class 257: ACTIVE SOLID-STATE DEVICES 257/E23.079 .. For integrated circuit devices, e.g., power bus, number of leads (EPO) .Arrangements for cooling, heating, ventilating 257/E23.08 or temperature compensation; temperature-sensing arrangements (EPO) .. Selection of materials, or shaping, to 257/E23.101 facilitate cooling or heating, e.g., heat sinks (EPO) 257/E23.102 ...Cooling facilitated by shape of device (EPO) 5 257/E23.104 (0 OR, 5 XR) Class 257: ACTIVE SOLID-STATE DEVICES 257/E23.079 .. For integrated circuit devices, e.g., power bus, number of leads (EPO) 257/E23.08 .Arrangements for cooling, heating, ventilating or temperature compensation; temperature-sensing arrangements (EPO) .. Selection of materials, or shaping, to 257/E23.101 facilitate cooling or heating, e.g., heat sinks (EPO) 257/E23.102 ...Cooling facilitated by shape of device (EPO) 257/E23.104Characterized by shape of housing (EPO) 5 257/E23.181 (0 OR, 5 XR) Class 257: ACTIVE SOLID-STATE DEVICES 257/E23.176 ...For flat cards, e.g., credit cards (EPO) 257/E23.18 .Containers: seals (EPO) 257/E23.181 .. Characterized by shape of container or parts,

e.g., caps, walls (EPO)

PLUS Search Results for S/N 10/600,799, Searched November 05, 2004 (Top 50)

The Patent Linguistics Utility System (PLUS) is a USPTO automated search system for U.S. Patents from 1971 to the present. PLUS is a query-by-example search system which produces a list of patents that are most closely related linguistically to the application searched. This search was prepared by the staff of the Scientific and Technical Information Center, SIRA.

4796156	6100113	5819402	5528456	5789810
4908736	5950073	6156165	5552635	5866942
4914812	6054008	4323914	5561322	5891755
6054759	4442450	5241452	5661089	5907474
4245273	5604978	5249101	5701033	5926371
4296456	5623394	5297006	5723904	5931222
4974769	5706171	5359768	5726079	5982038
4996589	· 5724729	5390082	5747877	5981310
5506448	5742477	5426319	5751062	6057601
5895233	5757620	5475236	5751063	6075289